

THE 1972 LE MANS

LeMans Coupe LeMans Hardtop Coupe LeMans Sport Convertible LeMans 4-door Sedan LeMans 2-seat Station Wagon LeMans 3-seat Station Wagon

SAFETY FEATURES

Occupant Protection

- Seat Belts with Pushbutton Buckles for all Passenger Positions
- Shoulder Belts with Pushbutton Buckles Driver and Right Front Passenger (except convertible)
- Two Front-seat Head Restraints
- · Energy Absorbing Steering Column
- Passenger-guard Door Locks with Forward-mounted Lock Buttons
- Safety Door Latches and Hinges
- Folding Seat-back Latches
- Energy Absorbing Padded Instrument Panel and Front and Intermediate Seat-back Tops
- Contoured Windshield Header (except convertible)
- · Thick Laminate Windshield
- Padded Sun Visors
- · Safety Armrests
- · Safety Steering Wheel
- · Cargo Guard
- Side-guard Beam
- Fuel Tank Impact Security
- Glove Box and Console Door Latch Impact Security
- Yielding Windshield Pillar Moldings
- Smooth Contoured Door- and Window-regulator Handles
- Soft, Low-profile Window-control Knobs, Coat Hooks, Dome Lamp
- Two Front-seat Belt Retractors
- · Shoulder Belt Anchorages for Rear-seat Outboard Occupants
- · Pressure-lock Radiator Cap
- · High-strength, Front-seat Anchorages & Construction
- · High-strength Rear-seat Retention
- Stamped Steel Door Hinges (at least 1 per door)

Accident Prevention

- Side Marker Lights and Reflectors (front side marker lights flash with directional signal)
- · Parking Lamps that Illuminate with Headlamps
- · Four-way, Hazard Warning Flasher
- Backup Lights
- · Lane-change Feature in Direction Signal Control
- · Windshield Defrosters, Washers and Dual-speed Wipers
- Wide-view, Inside, Day/Night Mirror (vinyl-edged, shatterresistant glass and deflecting support)
- Outside, Rearview Mirror
- Dual Master Cylinder Brake System with Warning Light
- Starter Safety Switch
- Dual action Safety Hood Latches
- · Headlamp aiming Access Provision
- Low-glare Instrument Panel Top, Inside Windshield Moldings, Wiper Arms and Blades and Metallic Steering Wheel Surfaces
- · Safety Wheel Rims
- Uniform Shift Quadrant
- · No Winged Wheel Nuts, Discs and Caps
- · Self-adjusting Brakes

Anti-theft

- · Anti-theft Ignition Key Warning Buzzer
- · Anti-theft Steering Column Lock
- Multiple Key Combinations
- Visible Vehicle Identification
- Tamper-resistant Odometer with Telltale Feature

OTHER STANDARD FEATURES

- . Bright Rocker Panel Moldings
- Bright Windshield Reveal Moldings
- Bright Rear-window Reveal Moldings (except convertibles)
- Carburetor Air Preheater
- · Circ-L-Aire Heater and Defroster with Illuminated Controls
- . Closed Crankcase Ventilation System
- . Delco-Eye Energizer Battery
- Dome Light (except convertible)
- Evaporative Émission System
- Foam Front-seat Cushion
- Full-flow Oil Filter
- Labeled Instrument Panel Control Switches
- Radio-interference-suppression Ignition
- · Recessed Windshield Wipers (except Coupe)
- Rotary Lock on all Instrument Panel Glove Compartments
- Twist-lock Exterior Lamp Sockets
- Windshield Antenna
- Self-regulating Alternator
- Side Window Reveal Moldings on Wagons
- · Power-operated Convertible Top Mechanism
- Tempered Rear-window Glass in Convertibles

STANDARD EQUIPMENT— LEMANS SERIES

INTERIOR

- All-Morrokide, Custom Bucket Seats (convertible)
- Bench-type Front Seat in Cloth and Morrokide
- · Courtesy Lamps Under Ends of Instrument Panel (convertible)
- · Deluxe Steering Wheel
- · Foam Front- and Rear-seat Padding
- . Front-door, Dome-lamp Switches
- Nylon-blend, Loop-pile Carpet (hardtop coupe, convertible and 4-door sedan)
- Outboard, Front-seat Belt Retractors
- Safety Rear Armrests with Integral Ashtrays (hardtop coupe, convertible, and 4-door sedan)
- Upper-level Ventilation (hardtop coupe, convertible)
- · Vinyl-coated, Molded-rubber Floor Covering (coupe)

EXTERIOR

- · Chrome Front Valance Panel
- Concealed Windshield Wipers, Left Arm Articulated (hardtop coupe, convertible and 4-door sedan)
- Hubcaps
- · Roof Drip Moldings (hardtop coupe)
- · Vent Windows (coupe and 4-door sedan)
- · Windshield Radio Antenna

POWER TRAIN & CHASSIS

Standard Engine:

250-cu.-in., Overhead-valve, 6-cyl., 1-bbl.

Available Engines:

350-cu.-in., V-8, 2-bbl.

400-cu.-in., V-8, 2-bbl.

400-cu.-in., V-8, 4-bbl.

455-cu.-in., V-8, 4-bbl.

455-cu.-in., V-8, H.O. 4-bbl. (2-door models only)

Standard Transmission:

3-speed Manual, Column Shift

Available Transmissions:

3-speed, Heavy-duty, Manual, Floor Shift (with V-8 engine only)

4-speed Manual (with V-8 engine only)

4-speed, Heavy-duty Manual, Close Ratio (V-8 only) Automatic (with 6-cyl. or 350 cu.-in., V-8 engines only) Turbo Hydra-matic

Standard Axle Ratio:

3.23:1

Standard Tires:

F78-14 Black

Standard Steering:

Manual

Brakes:


Manual

Capacities

Fuel Tank (gals.)	20.0
Cooling System (qts.)	13.0
Oil, less filter refill (qts.)	4.0

Exterior Dimensions (inches)	Cpe.	Hdtp. Cpe.
Overall Length	202.8	202.8
Wheelbase	112.0	112.0
Height	52.0	52.0
Overall Width	76.7	76.7
Front Tread (Wide-Track)	61.0	61.0
Rear Tread (Wide-Track)	60.0	60.0
Interior Dimensions (inches)		
FRONT:		
Hip Room	59.5	59.6
Shoulder Room	58.4	58.4
Head Room (effective)	37.7	37.7
Leg Room (max. effective)	42.4	42.4
REAR:		
Hip Room	58.4	58.1
Shoulder Room	57.0	57.0
Head Room (effective)	36.3	36.3
Leg Room (min. effective)	32.2	32.2
Trunk Capacity (usable luggage		
space, cu. ft. est.)	14.6	14.6

For estimated curb weight see section R, page 1.



STANDARD MOLDINGS

- Rocker Panel Moldings
- Roof Drip Moldings (hardtop coupe)
- Windshield and Rear-window Moldings



AVAILABLE MOLDINGS

- Body Side Moldings
- Door-edge Guards
- Hood Rear-edge Moldings
- Roof Drip Moldings (coupe & 4-door sedan)
- Side Window Reveal Moldings
- Wheel Opening Moldings
- Windshield and Rear-window Moldings.



LEMANS SPORT CONVERTIBLE (D67X)

DECOR MOLDINGS AND DELUXE WHEEL COVERS AVAILABLE AT EXTRA COST ON THE 4-DOOR LE MANS SEDAN



LEMANS 4-DOOR SEDAN (D69X)



LEMANS COUPE (D27X)



LEMANS HARDTOP COUPE (D37X)

STANDARD EQUIPMENT— LEMANS SERIES

INTERIOR

- All-Morrokide, Custom Bucket Seats (convertible)
- · Bench-type Front Seat in Cloth and Morrokide
- · Courtesy Lamps Under Ends of Instrument Panel (convertible)
- · Deluxe Steering Wheel
- . Foam Front- and Rear-seat Padding
- Front-door, Dome-lamp Switches
- Nylon-blend, Loop-pile Carpet (hardtop coupe, convertible and 4-door sedan)
- · Outboard, Front-seat Belt Retractors
- Safety Rear Armrests with Integral Ashtrays (hardtop coupe, convertible, and 4-door sedan)
- · Upper-level Ventilation (hardtop coupe, convertible)
- · Vinyl-coated, Molded-rubber Floor Covering (coupe)

EXTERIOR

- Chrome Front Valance Panel
- Concealed Windshield Wipers, Left Arm Articulated (hardtop coupe, convertible and 4-door sedan)
- Hubcaps
- · Roof Drip Moldings (hardtop coupe)
- · Vent Windows (coupe and 4-door sedan)
- · Windshield Radio Antenna

POWER TRAIN & CHASSIS

Standard Engine:

250-cu.-in., Overhead-valve, 6-cyl., 1-bbl.

Available Engines:

350-cu.-in., V-8, 2-bbl.

400-cu.-in., V-8, 2-bbl.

400-cu.-in., V-8, 4-bbl.

455-cu.-in., V-8, 4-bbl.

455-cu.-in., V-8, H.O. 4-bbl. (2-door models only)

Standard Transmission:

3-speed Manual, Column Shift

Available Transmissions:

3-speed, Heavy-duty, Manual, Floor Shift (with V-8 engine only)

4-speed Manual (with V-8 engine only)

4-speed, Heavy-duty Manual, Close Ratio (V-8 only) Automatic (with 6-cyl. or 350 cu.-in., V-8 engines only) Turbo Hydra-matic

Standard Axle Ratio:

3.23:1

Standard Tires:

E78-14 Black

Standard Steering:

Manual

Brakes:


Manual

Capacities

Fuel Tank (gals.)	20.0
Cooling System (qts.)	13.0
Oil, less filter refill (qts.)	4.0

Exterior Dimensions (inches)	Conv.	4-dr. Sedan
Overall Length	202.8	206.8
Wheelbase	112.0	116.0
Height	52.3	52.6
Overall Width	76.7	76.7
Front Tread (Wide-Track)	61.0	61.0
Rear Tread (Wide-Track)	60.0	60.0
Interior Dimensions (inches)		
FRONT:		****
Hip Room	59.7	59.8
Shoulder Room	58.4	58.4
Head Room (effective)	38.5	38.5
Leg Room (max. effective)	42.4	42.4
REAR:		
Hip Room	58.3	59.4
Shoulder Room	47.9	57.5
Head Room (effective)	36.9	37.1
Leg Room (min. effective)	31.6	34.8
Trunk Capacity (usable luggage		
space, cu. ft. est.)	10.0	14.6
•		

For estimated curb weight see section R, page 1.



STANDARD MOLDINGS

- Roof Drip Moldings (hardtop coupe)
- Rocker Panel Moldings
- Windshield and Rear-window Moldings



AVAILABLE MOLDINGS

- Body Side Moldings
- Door-edge Guards
- Hood Rear-edge Moldings
 Roof Drip Moldings (coupe & 4-door sedan)
- Side Window Reveal Moldings
- Wheel Opening Moldings
- Windshield and Rear-window Moldings



LEMANS 2-SEAT STATION WAGON (D36X)



LEMANS 3-SEAT STATION WAGON (D46X)

STANDARD EQUIPMENT— LEMANS STATION WAGON SERIES

INTERIOR

- · All-Morrokide Interiors
- · Deluxe Steering Wheel
- · Foam Front- and Rear-seat Padding
- Front-door Dome Lamp Switches
- · Nylon-blend, Loop-pile Carpeting
- · Outboard, Front-seat Belt Retractors
- Rear Armrests with Integral Ashtrays
- · Stowage Compartment under Cargo Load Floor
- Teak Wood Grain Instrument Panel Applique
- · Textured Steel Cargo Floor Painted with Vinyl Paint

EXTERIOR

- · Chrome-plated Front Valance Panel
- · Concealed Windshield Wipers, Left Arm Articulated
- · Dual-hinged Swing Gate with Built-in Rear Step
- · Front Vent Windows
- Hubcaps
- Power Tailgate Window (3-seat model)
- . Side Window and Door Frame Moldings
- Windshield and Rear-window Moldings
- · Windshield Radio Antenna

POWER TRAIN & CHASSIS

Standard Engine:

250-cu.-in., Overhead-valve, 6-cyl., 1-bbl.

Available Engines:

350-cu.-in., V-8, 2-bbl. 400-cu.-in., V-8, 2-bbl. 400-cu.-in., V-8, 4-bbl. 455-cu.-in., V-8, 4-bbl. (except in California)

Standard Transmission:

3-speed Manual, Column Shift

Available Transmissions:

Automatic (with 6-cyl. or 350-cu.-in., V-8 engines) Turbo Hydra-matic

Standard Axle Ratio:

3.23:1

Standard Tires:

H78-14 Black

Standard Steering:

Manual

Brakes:

Power, Front Disc

Capacities

Fuel Tank (gals.)	23.0
	6-cyl.
Cooling System (qts.)	13.0
Oil, less filter refill (qts.)	4.0

Exterior Dimensions (inches)	
Overall Length	210.9
Wheelbase	116.0
Height	54.5
Overall Width	76.7
Front Tread (Wide-Track)	61.0
Rear Tread (Wide-Track)	60.0
Interior Dimensions (inches) FRONT:	
Hip Room	59.7
	58.3
Shoulder Room	
Head Room (effective)	
Leg Room (max. effective)	42.6
REAR:	
Hip Room	59.4
Shoulder Room	57.4
Head Room (effective)	38.3

For estimated curb weight see section R, page 1.

Leg Room (min. effective).....

Compartment under Load Floor.....

34.6

83.6

10.0



STANDARD MOLDINGS


- Rocker Panel Moldings
- Side Window Reveal Moldings
- Tailgate-window Lower Moldings
- Windshield and Rear-window Moldings




AVAILABLE MOLDINGS

- Body Side Moldings (except with available wood grain panelling)
- Door-edge Guards
- Hood Rear-edge Moldings
- Roof Drip Moldings

LE MANS FEATURES




The LeMans has a newly designed grille for '72. A formed steel header panel separates the split grille and extends outward to surround the grille and the headlamps. LeMans has a single-bar front bumper which wraps around to the front side marker lights. A chrome-plated, heavy-gauge steel valance panel adds to the massive appearance. Concealed windshield wipers are standard on all models except the coupe.



The wide, wraparound rear bumper houses horizontal taillights. Rear, side

marker lights are incorporated into the wraparound taillight assembly.



Hubcaps are standard on LeMans and LeMans Station Wagons.



Hubcaps with trim rings are available on LeMans and LeMans Station Wagons.




Deluxe Wheel Covers are available on LeMans and LeMans Station Wagons.




Rally II Wheels with trim rings are available on LeMans and LeMans Station Wagons.




Honeycomb Wheels with trim rings are available on LeMans.



Wire Wheel Covers are available on LeMans and LeMans Station Wagons.




The standard LeMans bench seat is upholstered in Piccard Pattern Cloth with Morrokide trim. Colors are Blue, Green, Covert Beige, Ivory, Saddle and Black. Nylon-blend, loop-pile carpeting is standard on all except the LeMans Coupe. Front armrests are padded with lift-type handles. Safety rear armrest with integral ashtrays are standard on all but the LeMans Coupe.



A custom interior trim of Morrokide is available on LeMans.




Standard on the LeMans is the **Deluxe Safety Steering Wheel**. It has a recessed center for greater protection. Horn bars are at spoke ends.



The instrument panel on the LeMans is trimmed in teak wood grain appearing vinyl. Standard instrumentation includes telltale lights for oil, water and alternator, fuel gauge, speedometer and brake warning light.


LE MANS SPORT CONVERTIBLE FEATURES






The LeMans Sport emblem appears on the front fenders just behind the wheel openings.

Interior trim on the LeMans Sport Convertible comes in all-Morrokide bucket seats with matching door panels. Front armrests are padded with lift-type door handles. Pull straps are located above the armrests. Rear armrests are padded with integral ashtrays. Nylon-blend, looppile carpeting is standard. Seat colors may be ordered in Pewter, Ivory, Saddle, Green or Black. Console, Custom Sports Steering Wheel shown are not included but are available.



The power-operated top includes a shatter-resistant, %"-thick, tempered-glass rear window. Window does not have to be lowered when top is lowered. There are no problems with weathering or vision-reducing clouding. It requires no more maintenance than glass.



Rear-quarter interior lamps are standard on the convertible.

LE MANS PERFORMANCE OPTIONS

HANDLING PACKAGE (Code 724-UPC Y99)

For the tight, quick responsive feel of the GTO, a special handling package is available on the LeMans Coupe and LeMans Hardtop Coupe. Included are:


- Fast, Variable-ratio Power Steering
- G60—15 White-lettered Tires on 15 x
 7 Steel Disc Wheels
- Firm Shocks
- Large Front and Rear Stabilizer Bars

WW4 OPTION (Code 702)


Available on the LeMans Coupe and LeMans Hardtop Goupe, the WW4 Option includes all items listed in the handling package (left), plus:

- 400-cu.-in., V-8, 4-bbl. Engine
- 4-speed Manual Transmission
- Safe-T-Track Rear Axle
- Power Front Disc Brakes
- Carpeting (standard on hardtop coupe)
- Fast-rate Variable-ratio Power Steering

LE MANS STATION WAGON FEATURES



Seats and door panels in LeMans Station Wagons are all-Morrokide. Armrests are padded with lift-type handles. Second-seat armrests are padded and have integral ashtrays. Carpeting is standard. On 3-seat models, the third-seat foot well has a rubber mat. This seat folds flush with the rear cargo floor.



This concealed, subfloor storage compartment is located at the rear of the load area on all LeMans Station Wagons. A lock can be ordered so smaller articles can be safely stowed.



Even with the second seat up, LeMans Station Wagon has plenty of cargo space for luggage, groceries and tools. The tailgate is dual-hinged to swing open like a door or open flat in the conventional manner. A special built-in step is exposed when the gate is swung open like a door.



With the second seat folded down, there's ample room to carry camping supplies, step ladders, garden tools and many other items important to vacationers and do-it-yourself homeowners alike.


LEMANS STATION WAGON FEATURES



The dual-hinged tailgate is standard on LeMans Station Wagons. It can be swung open like a door, or opened flat in the conventional manner. A special, built-in step is exposed when the tailgate is opened like a door.



Wood grain side panelling, available on both LeMans Station Wagons, has a new, redder, warmer walnut color. The texture of the wood grain is translucent, so the color of the paint underneath shows through, making the panelling seem more an integral part of the car.



The reflective wood grain tailgate is part of the side panel option. At night, it reflects the headlights of other cars and looks like a horizontal bar of light. In daylight, it appears to be conventional panelling.



1972 LEMANS SPORT OPTION

SAFETY FEATURES

Occupant Protection

- Seat Belts with Pushbutton Buckles for all Passenger **Positions**
- Shoulder Belts with Pushbutton Buckles-Driver and Right Front Passenger (except convertibles)
- · Two Front-seat Head Restraints
- · Energy Absorbing Steering Column
- Passenger-guard Door Locks with Forward-mounted Lock Buttons
- · Safety Door Latches and Hinges
- . Folding Seat-back Latches
- Energy Absorbing Padded Instrument Panel and Front Seat-back Tops
- Thick Laminate Windshield
- · Padded Sun Visors
- · Safety Armrests
- · Safety Steering Wheel
- · Cargo Guard
- Side-guard Beam
- Fuel Tank Impact Security
- Glove Box and Console Door Latch Impact Security
- · Yielding Windshield Pillar Moldings
- Smooth Contoured Door- and Window-regulator Handles
- · Soft, Low-profile Window-control Knobs, Coat Hooks, Dome Lamp
- Two Front-seat Belt Retractors
- · Shoulder Belt Anchorages for Rear-seat Outboard Occupants
- · Pressure-lock Radiator Cap
- High-strength, Front-seat Anchorages & Construction
- · High-strength Rear-seat Retention
- . Stamped Steel Door Hinges (at least 1 per door)

Accident Prevention

- · Side Marker Lights and Reflectors (front side marker lights flash with directional signal)
- · Parking Lamps that Illuminate with Headlamps
- · Four-way, Hazard Warning Flasher
- Backup Lights
- · Lane-change Feature in Direction Signal Control
- · Windshield Defrosters, Washers and Dual-speed Wipers
- · Wide-view, Inside, Day/Night Mirror (vinyl-edged, shatterresistant glass and deflecting support)
- · Outside, Rearview Mirror
- Dual Master Cylinder Brake System with Warning Light
- · Starter Safety Switch
- . Dual-action Safety Hood Latches
- Headlamp-aiming Access Provision
- Low-glare Instrument Panel Top, Inside Windshield Moldings, Wiper Arms and Blades and Metallic Steering Wheel Surfaces
- · Safety Wheel Rims
- · Uniform Shift Quadrant
- · No Winged Wheel Nuts, Discs and Caps
- · Self-adjusting Brakes

Anti-theft

- · Anti-theft Ignition Key Warning Buzzer
- · Anti-theft Steering Column Lock
- Multiple Key Combinations
- · Visible Vehicle Identification
- · Tamper-resistant Odometer with Telltale Feature


OTHER STANDARD FEATURES

- . Bright Rocker Panel Moldings
- · Bright Windshield Reveal Moldings
- Bright Rear-window Reveal Moldings (except convertibles)
- Carburetor Air Preheater
- · Circ-L-Aire Heater and Defroster with Illuminated Controls
- Closed Crankcase Ventilation System
- · Delco-Eye Energizer Battery
- · Dome Light (except convertibles)
- Dual-speed, Parallel-action Windshield Wipers
- · Evaporative Emission System
- Foam Front-seat Cushion /
- Full-flow Oil Filter
- · Labeled Instrument Panel Control Switches
- · Radio-interference-suppression Ignition
- Recessed Windshield Wipers
- Rotary Lock on all Instrument Panel Glove Compartments
- Twist-lock Exterior Lamp Sockets
- · Windshield Antenna
- · Self-regulating Alternator
- · Power-operated Convertible Top Mechanism
- Tempered Rear-window Glass in Convertibles




LE MANS HARDTOP COUPE (D37X)
WITH SPORT OPTION

LE MANS SPORT OPTION



The LeMans Sport Option, available on the Hardtop Coupe, includes all-Morrokide bucket seats with matching door panels. Front armrests are padded with lift-type door handles. Pull straps are located above the armrests. Rear armrests are padded and have integral ashtrays. Nylon-blend, loop-pile carpeting is standard. Seat colors may be ordered in Pewter, Ivory, Saddle, Green or Black. Console and Custom Sports Steering Wheel are available at extra cost.





GTO OPTION



The GTO (Code 334—UPC W62) is available as an option on the LeMans Coupe and LeMans Hardtop Coupe. It includes the following items.

- Heavy-duty, 3-speed Manual Transmission with Floor Shift.
- 400-cu.-in., V-8, 4-bbl. Engine
- G70—14 Black Tires on Steel Disc Wheels
- Dual Exhausts with Side Splitters
- Endura Front Bumper
- Special Hood with Air Scoops
- Front Fender Air Extractors
- · Firm Shocks
- Large Front and Rear Stabilizer Bars
- "GTO" Decal Identification
- Swirled-finish Aluminum Instrument Panel
- Lower Trim Plate




Chrome side splitters are new on the GTO for '72. These outlets for performance dual exhausts exit under the rear quarter panels behind the rear wheels.

A new grille has been designed for the '72 GTO and bright, four-bar bezels have been added to the parking lamps. The front end has long, twin air scoops that open at the front of the hood, and the famous energy absorbing Endura front bumper, which resists scratching, chipping and corrosion. Headlamps have separate, reinforced fiberglass mountings.



The standard GTO bench seat is upholstered in Piccard Pattern Cloth with Morrokide trim. An all-Morrokide bench seat is available. Also available are Custom Bucket Seats of knit vinyl and expanded Morrokide.



Functional air extractors, just behind the front-wheel openings, are part of the GTO Option, and help to prevent air-pressure buildup under the hood

WW5 OPTION (Code 705)

This option is available only when the GTO Option is ordered. It includes the following items:

- 455-cu.-in., V-8, 4-bbl. H.O. Engine
- Turbo Hydra-matic or 4-speed Manual Transmission
- Safe-T-Track Rear Axle
- Right- and Left-hand Body-colored Outside Mirrors with Left-hand Remote-controlled (Hardtop coupe only.)
- Formula Steering Wheel
- Bright Roof Drip Moldings
- Power Front Disc Brakes
- Carpeting (standard on hardtop coupe)
- Rally Gauge Cluster with Instrument Panel Tachometer
- Handling Package
- "GTO/H.O." Identification
- Unitized Ignition System
- Hood Ram Air



1972 LE MANS WITH GT OPTION

SAFETY FEATURES

Occupant Protection

- Seat Belts with Pushbutton Buckles for all Passenger Positions
- Shoulder Belts with Pushbutton Buckles Driver and Right Front Passenger
- · Two Front-seat Head Restraints
- Energy Absorbing Steering Column
- Passenger-guard Door Locks with Forward-mounted Lock Buttons
- Safety Door Latches and Hinges
- Folding Seat-back Latches
- Energy Absorbing Padded Instrument Panel and Front Seat-back Tops
- · Contoured Windshield Header
- · Thick Laminate Windshield
- Padded Sun Visors
- · Safety Armrests
- · Safety Steering Wheel
- Cargo Guard
- · Side-guard Beam
- Fuel Tank Impact Security
- Glove Box and Console Door Latch Impact Security
- · Yielding Windshield Pillar Moldings
- Smooth Contoured Door- and Window-regulator Handles
- Soft, Low-profile Window-control Knobs, Coat Hooks, Dome Lamp
- Two Front-seat Belt Retractors
- Shoulder Belt Anchorages for Rear-seat Outboard Occupants
- · Pressure-lock Radiator Cap
- High-strength, Front-seat Anchorages & Construction
- · High-strength Rear-seat Retention
- Stamped Steel Door Hinges (at least 1 per door)

Accident Prevention

- Side Marker Lights and Reflectors (front side marker lights flash with directional signal)
- · Parking Lamps that Illuminate with Headlamps
- · Four-way, Hazard Warning Flasher
- Backup Lights
- Lane-change Feature in Direction Signal Control
- Windshield Defrosters, Washers and Dual-speed Wipers
- Wide-view, Inside, Day/Night Mirror (vinyl-edged, shatterresistant glass and deflecting support)
- · Outside, Rearview Mirror
- · Dual Master Cylinder Brake System with Warning Light
- · Starter Safety Switch
- Dual-action Safety Hood Latches
- Headlamp-aiming Access Provision
- Low-glare Instrument Panel Top, Inside Windshield Moldings, Wiper Arms and Blades and Metallic Steering Wheel Surfaces
- · Safety Wheel Rims
- Uniform Shift Quadrant
- No Winged Wheel Nuts, Discs and Caps
- Self-adjusting Brakes

Anti-theft

- · Anti-theft Ignition Key Warning Buzzer
- · Anti-theft Steering Column Lock
- Multiple Key Combinations
- Visible Vehicle Identification
- · Tamper-resistant Odometer with Telltale Feature

OTHER STANDARD FEATURES

- · Bright Rocker Panel Moldings
- Bright Windshield Reveal Moldings
- Bright Rear-window Reveal Moldings
- Carburetor Air Preheater
- Circ-L-Aire Heater and Defroster with Illuminated Controls
- Closed Crankcase Ventilation System
- Delco-Eye Energizer Battery
- Dome Light
- · Evaporative Emission System
- Foam Front-seat Cushion
- · Full-flow Oil Filter
- · Labeled Instrument Panel Control Switches
- · Radio-interference-suppression Ignition
- · Rotary Lock on all Instrument Panel Glove Compartments
- · Recessed Windshield Wipers
- Twist-lock Exterior Lamp Sockets
- Windshield Antenna
- Self-regulating Alternator




LE MANS HARDTOP COUPE (D37X)
WITH GT OPTION

GT OPTION

The GT Option is available on the Le-Mans Hardtop Coupe and the LeMans Sport Convertible. It includes the following items:

- Heavy-duty, 3-speed Manual Transmission with Floor Shift
- G70-14 White-lettered Tires
- Right- and Left-hand, Body-colored Outside Mirrors—Left-hand, Remotecontrolled.
- Rally II Wheels without Trim Rings
- Rally Stripes
- Dual Exhausts with Side Splitters
- GT Decal Identification




Right- and left-hand, body-colored outside mirrors, with the Left-hand mirror remote-controlled, are part of the GT Option.



Rally II Wheels and wide-tread, white-lettered tires.



Chrome side splitters for performance dual exhausts exit under the rear quarter panels behind the rear wheels.



Vinyl tape body side stripes come in Blue, Black, Gold and Silver.



THE 1972 LUXURY LEMANS

Luxury LeMans Hardtop Coupe Luxury LeMans 4-door Hardtop

SAFETY FEATURES

Occupant Protection

- Seat Belts with Pushbutton Buckles for all Passenger Positions
- Shoulder Belts with Pushbutton Buckles Driver and Right Front Passenger
- . Two Front-seat Head Restraints
- . Energy Absorbing Steering Column
- Passenger-guard Door Locks with Forward-mounted Lock Buttons
- . Safety Door Latches and Hinges
- Folding Seat-back Latches
- Energy Absorbing Padded Instrument Panel and Front Seat-back Tops
- . Contoured Windshield Header
- Thick Laminate Windshield
- Padded Sun Visors
- Safety Armrests
- · Safety Steering Wheel
- Cargo Guard
- Side-guard Beam
- Fuel Tank Impact Security
- . Glove Box and Console Door Latch Impact Security
- Yielding Windshield Pillar Moldings
- Smooth Contoured Door- and Window-regulator Handles
- Soft, Low-profile Window-control Knobs, Coat Hooks, Dome Lamp
- Two Front-seat Belt Retractors
- Shoulder Belt Anchorages for Rear-seat Outboard Occupants
- Pressure-lock Radiator Cap
- · High-strength, Front-seat Anchorages & Construction
- · High-strength Rear-seat Retention
- · Stamped Steel Door Hinges (at least 1 per door)

Accident Prevention

- Side Marker Lights and Reflectors (front side marker lights flash with directional signal)
- · Parking Lamps that Illuminate with Headlamps
- · Four-way, Hazard Warning Flasher
- · Backup Lights
- . Lane-change Feature in Direction Signal Control
- · Windshield Defrosters, Washers and Dual-speed Wipers
- Wide-view, Inside, Day/Night Mirror (vinyl-edged, shatterresistant glass and deflecting support)
- Outside, Rearview Mirror
- Dual Master Cylinder Brake System with Warning Light
- · Starter Safety Switch
- . Dual-action Safety Hood Latches
- Headlamp-aiming Access Provision
- Low-glare Instrument Panel Top, Inside Windshield Moldings, Wiper Arms and Blades and Metallic Steering Wheel Surfaces
- · Safety Wheel Rims
- Uniform Shift Quadrant
- No Winged Wheel Nuts, Discs and Caps
- Self-adjusting Brakes

Anti-theft

- Anti-theft Ignition Key Warning Buzzer
- Anti-theft Steering Column Lock
- Multiple Key Combinations
- · Visible Vehicle Identification
- Tamper-resistant Odometer with Telltale Feature

OTHER STANDARD FEATURES

- · Bright Front Wheel Opening Moldings
- Bright Roof Drip Moldings
- · Bright Rocker Panel Moldings
- · Bright Windshield Reveal Moldings
- Bright Rear-window Reveal Moldings
- Carburetor Air Preheater
- · Circ-L-Aire Heater and Defroster with Illuminated Controls
- · Closed Crankcase Ventilation System
- Delco-Eve Energizer Battery
- · Dome Light (except convertibles)
- Evaporative Emission System
- Foam Front-seat Cushion
- Full-flow Oil Filter
- Labeled Instrument Panel Control Switches
- · Lower Body Side Molding
- Radio-interference-suppression Ignition
- · Rear-wheel Opening Covers (Skirts)
- Recessed Windshield Wipers
- Rotary Lock on all Instrument Panel Glove Compartments
- Twist-lock Exterior Lamp Sockets
- Windshield Antenna
- Self-regulating Alternator



LUXURY LEMANS HARDTOP COUPE (G37X)



LUXURY LEMANS 4-DOOR HARDTOP (G39X)

STANDARD EQUIPMENT— LUXURY LEMANS SERIES

INTERIOR

- · Nylon-blend, Loop-pile Carpet
- Outboard, Front-seat Belt Retractors
- · Front-door Dome Lamp Switches
- · Upper-level Ventilation (hardtop coupe)

Distinctive from LeMans

- · Ashtray and Glove Box Lamps
- . Carpeted Lower Door Panels
- . Custom Cushion Steering Wheel
- Custom Door Trim Includes:
 - · Bright Door Handle Trim Plates
 - Pull Straps
 - Safety Reflectors
- · Extra Body Sound Insulation
- Front Bucket Seats in Morrokide (hardtop coupe) or Notch-back Front Bench Seat in All-Morrokide or Cloth and Morrokide (4-door hardtop, hardtop coupe)
- Pedal Trim Plates
- Safety Rear Armrests with Integral Ashtrays
- · Teak Wood Grain Appearance Instrument Panel Appliques

EXTERIOR

- Chrome-plated Front Valance Panel
- Concealed Windshield Wipers, Left Arm Articulated
- Front Vent Windows (4-door hardtop)
- Roof Drip Moldings
- · Windshield Radio Antenna

Distinctive from LeMans

- . Deluxe Wheel Covers
- Dual Horns°
- Front Wheel Opening Moldings
- Full-length, 1" Lower Body Side Moldings
- · Hood Rear-edge Molding
- · Rear Deck Lid Molding
- Rear Wheel Opening Covers (skirts)

POWER TRAIN & CHASSIS

Standard Engine:

350-cu.-in., V-8, 2-bbl.

Available Engines:

400-cu.-in., V-8, 2-bbl. 400-cu.-in., V-8, 4-bbl. 455-cu.-in., V-8, 4-bbl.

Standard Transmission:

3-speed Manual, Column Shift

Available Transmissions:

- 3-speed, Heavy-duty Manual, Floor Shift 4-speed Manual
- 4-speed, Heavy-duty Manual, Close Ratio Automatic

Turbo Hydra-matic

Standard Axle Ratio:

3.23:1

Standard Tires:

F78-14 Black

Standard Steering:

Manual

Brakes:

Manual

Capacities

Fuel Tank (gals.)	20.0
Cooling System (qts.)	20.2
Oil, less filter refill (qts.)	5.0

Exterior Dimensions (inches)	Hdtp. Cpe.	4-dr. Hdtp.
Overall Length	202.8	206.8
Wheelbase	112.0	116.0
Height	52.0	52.6
Overall Width	76.7	76.7
Front Tread (Wide-Track)	61.0	61.0
Rear Tread (Wide-Track)	60.0	60.0
Interior Dimensions (inches) FRONT: Hip RoomShoulder Room	59.6 58.4	59.5 58.4
Head Room (effective)	37.9	38.5
Leg Room (max. effective)	42.4	42.4
REAR:		
Hip Room	58.3	59.4
Shoulder Room	57.0	57.5
Head Room (effective)	36.3	37.1
Leg Room (min. effective) Trunk Capacity (usable luggage	32.2	34.8
space, cu. ft. est.)	14.6	14.6
· ·		

For estimated curb weight see section R, Page 1,



STANDARD MOLDINGS

- Front Wheel Opening Moldings (rear wheels have opening covers)
- Hood Rear-edge Molding
- Horizontal Rear Deck Molding
- Lower Body Side Moldings
- Roof Drip Moldings



AVAILABLE MOLDINGS

• Door-edge Guards

LUXURY LE MANS FEATURES




The Luxury LeMans has its own distinctive grille with horizontal bars surrounded by two, half frames on each side. A separate header panel accents the splitgrille appearance, and extends outward to frame the grille and headlamps. The

single-bar front bumper, with a chromeplated, heavy-gauge steel valance panel, wraps around to the front side marker lights. Parking lamps are set in the valance panel.



A bright-metal, horizontal, rear-deck molding follows the bumper as it wraps around the body. Wide, horizontal, wraparound taillights, which incorporate

rear side marker lights, typify the Luxury LeMans styling. Side marker lights have bright vertical bars. The "Pontiac" name appears on the rear-deck moldings.



A monogram, which appears on each sail panel, also distinguishes the Luxury LeMans.




Rear wheel opening covers or fender skirts are standard on this series.



Deluxe wheel covers are standard.



Rally II wheels with trim rings are available on the Luxury LeMans.




Also available are wire wheel covers.




A choice of three interiors is offered with the Luxury LeMans. The Notch-back bench seat comes in Potomac Pattern Cloth with Morrokide trim, or in elk Morrokide and Madrid Morrokide. Also offered, are Custom Bucket Seats of elk Morrokide and Madrid Morrokide. Custom Bucket Seats are available on the hardtop coupe only.





Carpeted lower door panels, padded armrests with bright backing and pull straps, plus front-door safety reflectors, are standard interior trim features on the Luxury LeMans.



A Custom cushion steering wheel is standard on this series. Wood grain inserts on the spokes match the teak vinyl instrument panel applique. The rim is covered with cushioned vinyl for greater comfort during long-distance driving. Horn buttons are on each spoke. The instrument panel gauges include oil, water and alternator telltale lights; brake warning light; fuel gauge and speedometer.

1972 PONTIAC D Le Mans



CUSTOMER OR TAG FOR			ZONE 8 DLR, COI 13-17 DLR, NAI	DE		Viet.		 .	**** ********************************	- -				IST. 10	RDER I		ZONE 7-9	USE	
DEALER SIGNATURE			TREET											ZIP	RDE	R NO. 18-	23		
FLEET C L P GMAC	11A		UCK	NN .				HECK	MARK	IND	ICATES	SP	EC. EQUIP	. ORDER A					A
CLASS CODE R S Z	11B	- -	UCK	<u>- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</u>	123	F	CAMEO	WHITE	ъ.		COLORS OW GOL		R - CARDINA	AL RED	+	DOVA TOPS	1 - W		TOPS
SOLD 031	++	TRU	CK-BOAT	r-TRUCK	124	D.	ADRIATIO	BLUE	J-B	RASIL	A GOLD		S - ANACO	NDA GOLD	2 - BI	ACK	2 - BL	ACK	
STOCK 032 CASH	110		_				QUEZAL (FIELD GF ERNESS G		Z - SUNDAN	CH YELLOW ICE ORANGE		EWTER OVERT BEIGE)VER	T BEIG
FLEET 033 ZONE STOC	(113	RAI	L,	- 0	129	G.	BRITTANY	BEIGE	N-F	EVER	E SILVER				- G	REEN			
MODEL 24-27/COLOR 28-29/TRIM 30-31-32	r	BLUE	GR	EEN	COVERT BEIGE	IVORY	SADDLE	BLACK	PEWTER	IVOR	Y SADDL	E GR	EN BLACK	LOWER		UPPER	DO	VA	CON
CIRCLE MODEL—TRIM & COLOR	CLOTH	VINYL	CLOTH	VIII	CLOTH	VINYL	VINYL	VINYL	VINYL	VINY	L VINY	TBUC	YL VINYL KET BUCKET	COLOR		COLOR	TO	PS	TOP
2 DOOR COUPE D27	412		442	*542	452	*522	*532	*562											
					.0.51	100000	1 - 1 - 1 - 1							C H	R C	H R	,		1
L 2 SEAT STATION WAGON D36	•	012		042			032	062						ь .	s D	, ,	١,		2
E 2 DOOR HARDTOP D377	(412	14.00	442	*542	452	*522	*532	*562	*701	*721	*731	*-	41 *761		- -	-	"		-
A					732	-	332	,	701	''	73.		70.	E L	Y E	L Y	4		6
N 3 SEAT STATION WAGON D46	۲ 💮	012		042			032	062									1		
	533333		1,3,4		1000									F M	ZF	M Z	•		
4 DOOR SEDAN D69	(412		442	*542	452	*522	*532	*562						G N	a	N			
SPORT CONV. COUPE D67									701	721	731	٦,	41 761						
	100			V 1/4			Verto					Ш,	'i '''	1 to 1 to 1 to 1 to 1					
OTHER ACCESSORIES			UPC		PTION	5 & A	CCESSO	RIES		DL.	D	UPC		IONS & AC	CESSO	ORIES	(0	L.	D
			-	tadio, AM tadio, AM,	/tu			<u> </u>	B	3			Floor Mats—F				٠,	1	<u> 13.5.</u>
			-	ladio, Ste		/FM	10 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		*\	5			Floor Mats—R	EAR ONLY	C D27		52	Z	
CHECK HERE FOR COLOR & TRIM IP	COMP.	A TIQUITY	+	Rear Seat			TH 405, 412	2. 414		+			 	TY-ALL WINDO				1	
PERIFICATION — COLUMN 77 SKIF				Stereo Taj					41	2		_		IY — WINDSHIEL		1 (- 1 () () ()	٦,,	2	-47.5
ec GROUPS	COL	. D	-	Cassette T					┪"	4				Wind Deflector-			53	4	
BASIC GROUP	В	1 (0.41)	A90	Deck Lid I	lelease, I	temote C	antrol—N	I.A. WGNS		1				Defrester, Electi		. 34D OR CONV . ON STA. WGN		4	37.
35L—Turbo Hydra-Matic Trans. —Std. White Sidewall Tire		l kasari	K45	Air Cleans	r, Dual S	tage H.D.		MARIE.	42	, 2		$\overline{}$		Defogger—n.a.			54	1	<u> </u>
401 — Radio, AM 476 — Deluxe Wheel Covers	33	[]	P17	Spare Tire	Cover-	N.A. W/W	AGONS			4			Power Window	te Window—st	p. 046			1	•
501 — Power Steering			W61 1	Weodgrain	Safari Si	iding — w	GN ONLY	96.i		4				ocks—(INC. SE ON 2 D	AT BACK	LOCK N.A.	55	\vdash	6 Y 4
U2 GT PKG.—(D37, D67 Only) (See Reverse Side for Details	G 33	2	-	Censele—	-					14	7.11.00			ocks—N.A. 352	1 42 .			4	
62 GTO—(D27, D37 Only)	T 33							LL EXC. D	27 43	2				Bench—4-WAY			- 56	1	
(See Reverse Side for Details) 33						D37-D67	MOTE CON'	•	1		_	47.5	Bucket—4-WAY- ushion—BENCH	-			2	-
ENGINES			\rightarrow	Hirror—Y Hirror—Y		•				2				er—STATION W			 57	1	
D. 258 1 Barrel 6 Cyl.—N.A. 334 30 358 2 Barrel 8 Cyl.—N.A. 334		D .	_	Mirror — O			atrol—ı H	N A 434	T	1		C60	Air Conditioni			- Harita	58	2	
65 400 2 Barrel 8 Cyl.—HYD. ONLY-N.A.	 i ∣	R	_					ER STRAPS		11		T41	Endura Styling	Option—INC. 1	W/34X-	V-8 ONLY N.A.332	60	2	
.78 400 4 Barrei 8 Cyl.—N.A. 35A-J		S							45	1				-2 DR. MODELS			G 61	4	
L75 455 4 Barrel & Cyl.—HYD. ONLY LS5 455 4 Barrel & Cyl.H.O.—2 DR. MODELS C		W		Custom Cu				LK OTRAG		1		Y96	Firm Ride Pkg Hood Rear Edg	.—(SPRINGS—! STABILIZE	BAR) WGN.	62	붜	
.ss 455 4 Berrel 8 Cyl.H.O.—2DR. MODELS C	MLY		N31 (Custom Sp	orts Stee	ring Whe	el		46	2			Lamp, Dome &				65	1	
38 Turbo Hydra-Matic 3 Speed	В	L	NK3	Formula S	teering V	/heel — w	/501 ONLY	,		4		_	•	gn. Rear Compt	. Courte	isy	٦,,	-	
Auto. 2 Speed—1 BBL 6 CYL. (EXC. W/AC))R	1	P06	Wheel Trin	n Rings					1		_		e—N.A. ON STAT		GON	66	2	
135 MUTO. Z SPEER 2 BBL. 350 ONLY	35	A	N95 1	Wire Whe	el Covers	— N.A. W	/724			3		_	Lamp, IP Cour Lamp, Underh	tesy—stp. con	IV.			1	
D. 3 Speed Man.—COL. SHIFT—1 BBL.		C	M98	Rally II W	heels				G 47	<u>'</u>		_	Lamp, Ash Tra				⊣ 67		
D. 3 Speed Man.—COL. SHIFT—1 BBL. COL. OR 350 H.D. 3 Speed Man.—FLOOR SHIFT— OPT. 34H-S ONLY	T-G		POI	Deluxe W	heel Cove	ITS-N.A.	W/724		B	6			Lamp, Glove i					4	
D. 3 Speed Man.—COL. SHIFT—1 BBL. 6 CYL. OR 350 H.D. 3 Speed Man.—FLOOR SHIFT— 10 H.D. 3 Speed Man.—OPT. 34H-5 ONLY 20 4 Speed Man.—N.A. 34D-R-W-X	T-G	E			h Whaale	-N.A. W	GNS.			8		$\overline{}$	Dual Herns				- 68	1 2	
D. 3 Speed Man.—COL. SHIFT—1 BBL. 13 H.D. 3 Speed Man.—FLOOR SHIFT— 14 H.D. 3 Speed Man.—PLOOR SHIFT— 12 4 Speed Man.—N.A. 34D-R.W-X 12 4 Speed Man.—CLOSE RATIO—W/34S-X OI	T-G	6	P05	Honeycom	A 4444.012							N 10 I	Dual Exhaust -						
D. 3 Speed Man.—COL. SHIFT—1 BBL. 13 H.D. 3 Speed Man.—FLOOR SHIFT— 14 H.D. 3 Speed Man.—PLOOR SHIFT— 20 4 Speed Man.—N.A. SHD-R.W-X 22 4 Speed Man.—CLOSE RATIO—W/SHS-X OI	T-G		\vdash			ulding—	STD. D37—	N.A. WGN.	45	Щ				-N.A. STA. WGN.	OR 6 C1	rL. (
D. 3 Speed Man.—COL. SHIFT—1 BBL. 13 H.D. 3 Speed Man.—FLOOR SHIFT— 14 H.D. 3 Speed Man.—FLOOR SHIFT— 20 4 Speed Man.—R.A. 340-8-W-X 22 4 Speed Man.—CLOSE RATIO—W/345-X OI AXLES 20 Safe-T-Track Rear Axle 27 Economy Axle Ratio	T-G	6	B80		Scalp Mo	<u> </u>		N.A. WGN.	48			UA!	Battery—H.D.			- i	69	2	
D. 3 Speed Man.—COL. SHIFT—1 BBL. 13 H.D. 3 Speed Man.—GYL. OR 350 14 H.D. 3 Speed Man.—PLOOR SHIFT— 20 4 Speed Man.—N.A. 34D-R.W-X 22 4 Speed Man.—CLOSE RATIO—W/34S-X OI AXLES 20 Safe-T-Track Rear Axle 21 Economy Axle Ratio 22 Performance Axle Ratio	7-G R.Y	1 4	B80 1	Roof Drip	Scalp Mo ow Revea	ıl Məvidir	ngs		48	2		UA! WW4 WW5	Battery—H.D. WW 4 (Se WW 5 (Se	e Reverse Si e Reverse Si	ide for	Details) Details)		2 2 4	
D. 3 Speed Man.—COL. SHIFT—I BBL. 13 H.D. 3 Speed Man.—FLOOR SHIFT— 24 Speed Man.—PLOOR SHIFT— 25 4 Speed Man.—N.A. 34D-R-W-X 25 4 Speed Man.—CLOSE RATIO—W/34S-X OI 26 AXLES 27 AXLES 28 Safe-T-Track Rear Axle 28 Economy Axle Ratio 29 Performance Axle Ratio 30 TIRE OPTIONS	7-G LY 36	6 4 8	B80 B90 B	Roof Drip Side Wind	Scalp Mo ow Revea , Wheel (ıl Məvidir	ngs		48	2		UA1 WW4 WW5 K30	Battery—H.D. WW 4 (Se WW 5 (Se Cruise Control	e Reverse Si e Reverse Si with hyb. &	ide for ide for V-4 ONL	Details) Details)	70	2 4	
D. 3 Speed Man.—COL. SHIFT—1 BBL. 13 H.D. 3 Speed Man.—FLOOR SHIFT—1 20 4 Speed Man.—N.A. 340-R-W-X 21 4 Speed Man.—CLOSE RATIO—W/34S-X OI AXLES 22 4 Speed Man.—CLOSE RATIO—W/34S-X OI AXLES 23 Economy Axle Ratio 24 Performance Axle Ratio TIRE OPTIONS 25 E78 x 14 White—S CYL. ONLY—N.A. DS7	36 COLS. 38-	6 4 8 -39	B90 S	Roof Drip Side Wind Mouldings Door Edge	Scalp Mo ow Revea , Wheel O Guards	ıl Mouldir Pening —	ngs -N.A. WGI		48	2		UA1 WW4 WW5 K30 U30	Battery—H.D. WW 4 (Se WW 5 (Se Cruise Control Rally Gauge C Rally Gauge C	e Reverse Si e Reverse Si WITH HYD. & luster & I.P. Too luster & Cleck-	ide for ide for V-8 ONL h.— N.A	Details) Details) .Y . 718 OR 6 CYL	- 70	2 4 1 4	
D. 3 Speed Man.—COL. SHIFT—I BBL. COL. SHIPT—I SHIFT—I BBL. COL. SHIPT—I SHIPT—I SHIPT COL. SHIPT—I SHIPT COL. SHIPT—I SHIPT COL. SHIPT—I SHIPT COL. SHIP	7-G LY 36	1 4 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	B80 B90 B96 B93 B84 B84	Roof Drip Side Wind Mouldings Door Edge	Scalp Mo ow Revea , Wheel O Guards , Side Mo	I Moulding—	ngs - N.A. WGP - BLACK IN	¥.	48 49	2 2 4 1		UA1 WW4 WW5 K30 U30	Battery—H.D. WW 4 (Se WW 5 (Se Cruise Control Rally Gauge C Rally Gauge C	e Reverse Si e Reverse Si WITH HYD. & luster & I.P. Too luster & Clock-	ide for ide for V-1 OHL h.— N.A - N.A. W, verse	Details) Petails) Y . 718 OR 6 CYL 714 Side for	70	2 4	
7D. 3 Speed Man.—6 CVL. ORI 18T—1 BBL. 113 H.D. 3 Speed Man.—6 CVL. OR 350 114 H.D. 3 Speed Man.—PLOOR SWITT— 126 4 Speed Man.—N.A. 34D-R-W-X 127 4 Speed Man.—CLOSE RATIO—W/34S-X OI AXLES 127 AXLES 128 Economy Axle Ratio 129 Performance Axle Ratio 129 Performance Axle Ratio 120 Performance Axle Ratio 120 Performance Axle Ratio 121 E78 x 14 White—6 CVL. ONLY—N.A. DAT 122 XX F78 x 14 White—6 CVL. ONLY—N.A. DAT 123 XXI 4 Black—8.A. 34W-X STD. DAT 124 XXI 4 White—W.A. 34W-X STD. DAT 125 XXI 4 White—N.A. STA. WGN—STD. 34W 126 XXI 4 Black—N.A. STA. WGN—STD. 34W	36 COLS. 38- HR GF GR F-X RF	6 1 4 8 8 -39 K	B80 B90 B96 B93 B93 B94 B84 B84	Roof Drip Side Wind Mouldings Deer Edge Vinyl Body Power Sta Power Dis	Scalp Mo ow Revea , Wheel O Guards , Side Mo ering, Va c Brakes-	ol Moulding pening uldings riable Ra	ngs - N.A. WGI - BLACK IN tio - STD. WGI	N. ISERT—N.A NS.	48 49	1 2 4		UA1 WW4 WW5 K30 U30 W63 Y80	Battery—H.D. WW 4 (Se WW 5 (Se Cruise Control Rally Gauge C Rally Gauge C Decor Grou	e Reverse Si e Reverse Si WITH HYD. & luster & I.P. Too luster & Clock-	ide for V-1 ONL h.— N.A. Werse:	Details) Tetails) Tetails) Tetails) Tetails	70 - 71	2 4 1 4 8	
13 Speed Man. — COL. SHIFT—1 BBL.	36 COLS. 38 HR GF GR GR RR	6 1 4 8 3.39 1 1 1 1 1 1 1 1 1	B80 B90 B96 B93 B93 B94 B84 B84	Roof Drip Side Wind Mouldings Door Edge Viny! Body Power Ste	Scalp Mo ow Revea , Wheel O Guards , Side Mo ering, Va c Brakes-	ol Moulding pening uldings riable Ra	ngs - N.A. WGI - BLACK IN tio - STD. WGI	N. ISERT—N.A NS.	48 49	2 2 4 1		UA1 WW4 WW5 K30 U30 W63 Y80	Battery—H.D. WW 4 (Se WW 5 (Se Cruise Control Rally Gauge C Rally Gauge C Decor Grou	e Reverse Si e Reverse Si WITH HYD. & luster & I.P. Too luster & Cleck up (See Rev I.P. Taken Mith 714	ide for V-8 ONL h.— N.A - N.A. W verse : Details (INC. W/	Details) Petails) Y 1718 OR 6 CYL (714 Side for 1718) Side for	70	2 4 1 4 8	
D. 3 Speed Man.—COL. SHIFT—I BBL. COL. SHIPT—I SHIFT—I BBL. COL. SHIPT—I SHI	36 COLS. 38- HR GF GR 4-X RF RR G PL	[1] 4 8 8 39	B80 B90 B96 B95 B93 B93 B94 B94 B95 B95	Roof Drip Side Wind Mouldings Deer Edge Vinyl Body Power Sta Power Dis	Scalp Mo ow Revea , Wheel O Guards / Side Mo ering, Ya c Brakes- ng Wheel	ol Mouldings- vidings- riable Ra Front- N.A. W.	ngs - N.A. WGI - BLACK IN tio - STD. WGI	N. ISERT—N.A NS.	48 49 332 B	2 1 2 4 1 2 4		UA1 WW4 WW5 K30 U30 W63 Y80 U35	Rattery—H.D. WW 4 (Se WW 5 (Se Cruise Control Rally Gauge C Rally Gauge C Decor Grou Clock, Electric	e Reverse Si e Reverse Si	ide for v-s onu h.—n.a. werse i Details	Details) Petails) Y 1718 OR 6 CYL (714 Side for 1718) Side for	70 - 71 - 72	2 4 1 4 8 1 2 4	
D. 3 Speed Man.—GCU. SHIFT—I BBL. 13 H.D. 3 Speed Man.—GCU. OR 350 14 D. 3 Speed Man.—PLOOR SHIFT—I 14 Speed Man.—N.A. 34D-R.W-X 15 4 Speed Man.—CLOSE RATIO—W/34S-X OI 26 A Speed Man.—CLOSE RATIO—W/34S-X OI 27 A Speed Man.—CLOSE RATIO—W/34S-X OI 28 A Speed Man.—CLOSE RATIO—W/34S-X OI 28 Expeed Man.—CLOSE RATIO—W/34S-X OI 29 Performance Axle Ratio 29 Performance Axle Ratio 20 TIRE OPTIONS 20 E78 x 14 White—EXTD. V-3 EXC. WGN 21 KT S x 14 White—MA. 34W-X STD. D67 22 F78 x 14 White—MA. 34W-X STD. D67 23 F78 x 14 White—MA. 34W-X STD. D67 24 G78 x 14 White—MA. 34W-X OR WGN. 25 KT S x 14 White—MA. 34W-X OR WGN.	36 COLS. 38- HR GF GR F-X RF GR DR	[1] 4 8 8 39	B80 B90 B96 B93 B84 B93 B84 B84	Roof Drip Side Wind Mouldings Door Edge Vinyl Body Power Sta Power Dis Filt Steerii	Scalp Mo ow Revea , Wheel O Guards r Side Mo ering, Ye c Brakes- ng Wheel	ol Mouldings— riable Ra — Front— N.A. WI	ngs - N.A. WGI - BLACK IN tio - STD. WGI	N. ISERT—N.A NS.	48 49	2 1 2 4 1 2 4		UA1 WW4 WW5 K30 U30 W63 Y80 U35 Y99	Rattery—H.D. WW 4 (Se WW 5 (Se Cruise Control Rally Gauge C Rally Gauge C Decor Gro Clock, Electric Handling I	e Reverse Si e Reverse Si	ide for V-8 ONL h.— N.A - N.A. W verse : Details (INC. W/	Details) Petails) Y 1718 OR 6 CYL (714 Side for 1718) Side for	70 - 71	2 4 1 4 8 1 2 4	

GT PKG. (D37-D67 ONLY) N.A. W/334

UPC WU2 - Sales Code 332

35C - H.D. 3 Speed Manual Trans. - Floor Shift

PL - G70 x 14 White Letter Tires

434 - R.H. & L.H. Body Color Mirrors

474 - Rally M Wheels - Less Trim Rings

614 - Rally Stripes

Dual Exhaust w/side Splitters

GT Decal Identification

GTO (D27-D37 ONLY)

UPC W62 - Sales Code 334

35C - H.D. 3 Speed Manual Trans. - Floor Shift

345 - 400 4 Bbl. Engine

G70 x 14 Black Tires

Dual Exhaust w/Side Splitters

Endura Front Bumper

Special Hood with Scoops

Front Fender Air Extractors

Firm Shock Absorbers

Front & Rear Stabilizer Bars

GTO Decal Identification

WW4 (D27-D37 ONLY)

UPC WW4 - Sales Code 702

345 - 400 4 Bbl. Engine

35E - 4 Speed Manual Trans.

361 - Safe-T-Track Rear Axle

502 - Power Disc Brakes

524 - Custom Carpets (Std. D37)

724 - Handling Pkg.

WW5 (D27 & D37 W/GTO ONLY)

UPC WW5 - Sales Code 704

34X - 455 4 Bbl. HO Engine

- Turbo Hydra-Matic or

4 Speed Manual Trans.

361 - Safe-T-Track Rear Axle

434 - R.H. & L.H. Body Color Mirrors - N.A. D27

464 - Formula Steering Wheel

481 - Roof Drip Scalp Mldg. (Std. D37)

502 - Power Disc Brakes

524 - Custom Carpets (Std. D37)

714 - Rally Gauge Cluster & I.P. Tach.

724 - Handling Pkg.

GTO/HO Identification

DECOR GROUP

UPC Y80 - Sales Code 721

461 - Custom Cushion Steering Wheel

476 - Deluxe Wheel Covers

491 - Wheel Opening Mouldings

514 - Custom Pedal Trim Plates

651 - Hood Rear Edge Mouldings

HANDLING PKG. (D27-D37 ONLY)

UPC Y99 - Sales Code 724

XL - G60 x 15 White Letter Tiges

501 - Power Steering

Special Springs & Shocks

Front & Rear Stabilizer Bars

\bigvee

1972 PONTIAC

			٠.	
	1	_	Ÿ	7
	. 1	٠	٠	٠
		١.	1	ł
		ı		ŝ
		1	. 1	ı
		1	. 1	г
			٧.	
			и	ŀ
		1	Ŧ	

G Luxury Le Mans •

				<u> </u>		DLR.	NAME										DIST. 1		NO. 18-2	23	<u></u>	ta <u>ll.</u> Vite			
AL	ER SIGNA	TURE				STRE	ET												NO. 18-2						
1		1			П	DLR.	TOWN	1								A	CO	DER ATTACH	- C	_	ä				
EE AS DE	S			11A	Н	TRUCK		123			CHEC	N MAI		CO	LORS		100		CO	RDOV	-	TOPS			
LE	1 to	1000		11B	\mathbf{H}	TRUCK-BO	AT-TRUC	K 124			NEO WH				W GOLD			IDINAL RED CONDA GOLD	2-	BLACE	WHITE				
٠.	K 032	CASH		110	+	RAIL		129			EZAL GO ERNE BLU				FIELD GR RNESS GI			NARCH YELLOW IDANCE ORANGE		COVE		BEIG			
E	T 033		STOC	K 11J						G-BRIT	ITANY BE	IGE	N	REVERE	SILVER					GREE	1	C			
Ī	14-27 / COLOR 28-23 /	/ 1 RIM 30-31-32	ľ		$\zeta^{2}(z_{1})$	NO	TCH BA	CK BEI	NCH						BUCKET	S		LOWER	COL	PER LOR		DC			
	CIRCLE M		PEW	VTER	BLU	E IVORY	SADDLE	GR	EEN	COVERT BEIGE	BLA	CK	PEWTER	IVORY	SADDLE	GREEN	BLACK	C H R	СН						
	IRIM & C	OLOR	сьотн	VINYL	CLOT	H VINYL	VINYL	CLOTH	VINYL	СLОТН	CLOTH	VINYL	VINYL	VINYL	VINYL	VINYL	VINYL	D J S	D J						
		6974	605	705	615	725	735	645	745	655	665	765	701	721	731	741	761	E L Y	F .	1					
۱	2 DOOR H.T.	G37X	003	/03	ļ.,	1 12	,,,,	043	/43	4,00	003	/ 00	Sales and the sa	F. 1646			3333	F M Z	FN	1 2					
1	4 DOOR H.T.	G39X	605	705	61	725	735	645	745	655	665	765						G N	GN						
н	ER ACCESS	ORIES		1313	Y.J.		UPC		ŢI	RE OPT	IONS	Ç	OLS. 38-39		UPC		OPTIO	NS & ACCESS	ORIES	CO	L.				
							PX6 F	78 x 14 \	White—	N.A. W/AIR	ON G39 I	I.A. 34W	GR		J50	Power C)rum Brak	e s		51	ī				
							PK1 (78 x 14	Black — :	STD. W/AIR	ON G39	STD: 34W	RF	1	B32	Floor M	ats—FRON	IT ONLY			1				
							PK2 (78 x 14	White				RR		B33		OTS — REAF	ONLY		- 52	2				
								0	PTION	S & AC	CESSOI	RIES	COI		A01			ALL WINDOWS			+				
							U63 F	adio, AM					В	1	\neg	7				53	-	H			
							U69 B	adio, AM,	/FM				40	3	_			WINDSHIELD ONLY		ار	F	-			
							use i	adio, Ste	rea—AM	L/FM				5	C49	Rear Wi	ndow Defi	roster, Electric		-	Ļ				
							1			-N.A. WIT	TH 405, 412	. 414		1	C50	Rear Wi	ndow Def	ogger		54	1	_			
							U57 S	tereo Taj	e Playe	r — N.A. W/	/411, 414		41	2	A31	Power V	1000				L	L			
							USS (assette T	ape Play	OF-N.A. Y	N/411, 412			4	AUS	Electric	Door Lock	S-INC. SEAT BACK ON 2 DOOR MOD	LOCKS ELS-N.A. 554	55	2				
HE	CK HERE FO	R COLOR	& TRI	M INCO	OMPA	TIBILITY			A COMPANY	Remote Co		-		1	נטא	Electric	Door Lock	(S—N.A. 552	ing Silang Silang		4				
ER	RIFICATION -	- COLUMI	N 77 SI	KIP PUI	NCH (- >□			3 3 3				42	2	A41	Power S	eat — Ben	ch—4-WAY		56	1				
		GROUP			((L.	$\dashv \rightarrow$	IS Air Cleaner, Dual Stage H.D. 7 Spare Tire Cover						4	A46	Power S	eat — Buc	—Bucket—L.H. ONLY—4 WAY							
	ASIC GROUP ilTurbo Hydra		mission	E	3		\vdash	Console — ORDER WITH BUCKET SEATS ONLY						. 11			nditioning, Custom				2				
40	—Std. White Si 11—Radio, A.M.	idewall Tire			33	1	\perp						43		Y96	Y96 Firm Ride		de Pkg.—(SPRINGS-SHOCKS &)							
50	11—Power Steer 12—Power Disc I						-	, (ROC-16.A. 633)						ces Lamp, Dome							ī	Γ			
	2—Electric Cloc						┵	Mirror—Visor Yanity—R.H. Mirror—Visor Yanity—L.H.						44 2 U25 Lam			uggage		66	2	Γ				
35	0 2 Barrel 8	ENGINE	S		_	н	┵			lemote Co	ntrol—ı s	I-NA W		4	U29	Lamp, II	P Courtesy			1	4				
40		Cyl.—HYD.	ONLY		ا • • •	R	+ +			INC. FRON				1	U26	Lamp, U	Inderhood			67	1	T			
40	.,	Cyl.—w/35L		Y	34	S	-		-	ering Whe				2	┯	 	haust — st			62	2	T			
45		Cyl.—HYD. ANSMISSI				W	┵			Wheel — w			46	4	TPI	<u> </u>		Battery—w/455 E	NG ON! Y	+	ī	╁			
Τυ	rbo Hydra-Matic			LLENG.	В	ı	\dashv	Vire Whe			, ORL1		-	3	_	<u> </u>	-		.s. one1	69		-			
Au	ute. 2 Speed—w.			-		1	\vdash	tolly II W		-			47	4		Battery				+	1	₩			
	Speed Man.—co D. 3 Speed Man.		IFT		_ 35	C							\dashv	+-		 		VITH HYD. ONLY		4	\vdash	╁			
_	Speed Man.		-		1	E	\vdash	oor Edge					49	2	− ⊢	 		er & I.P. TachN.A		_ 71	4	1			
H.	Speed Man.—c.c		V/34S ONL	.Y	1	G	4-			ouldings—				4	- -	<u> </u>		er & Clock—N.A. 71		\perp	8	<u> </u>			
H.		AXLES Axle			Т	lil -	N41 /	ower Ste	ering Ya	riable Rati	io		<u> </u>	1	U35	Clock, E	lectric—N	I.A. W/714 (INC. W/71	8) [3 72	2	<u> </u>			
H. 4	fe-T-Track Rear				\dashv	\vdash	JL2 F	ower Dis	c Brakes	, Front			50	2	V31	Front B	umper Gu	ards		73	1				
H. 4	ife-T-Track Rear conomy Axle Rati	io			36	ויו	_													7/)		_			
H. 4 So Ec					36	8	N33 1	ilt Steeri	ng Whee	I—N.A. WI N.A. MA	TH STD. ST IN. COL. SI	EERING UFT		4	V32	Rear Bu	ımper Gu	ards			2	Ľ			